

PROPANE TARIFF



Canceling

Original Revised
Revised

Sheet No. R-9.2
Sheet No. R-9.2

Rule No. 9

METERING

- a) Meters ten years old or newer fall within the manufactures guaranteed calibration period and will not be subject to testing.
 - b) A meter family deemed satisfactory by the ANSI test standard will stay in service subject to continued yearly testing.
 - c) A meter family that fails the initial ANSI standard will remain in service if it passed the previous years testing however the family will be placed on a tightened inspection practice for the following year. In addition, the failed family will be analyzed and may be broken into sub-families to isolate specific make and model related problems.
 - d) All meters within the original family or refined sub-families will be recalibrated or replaced if the lot fails for two consecutive years. Corrective action will begin in the next budget cycle with completion occurring within a four-year timeframe.
- 2) Large Meters – A percentage of large commercial and industrial meters will be subject to test each year until 100% of the meters are tested within an established timeframe. Meters falling outside of the standard of meter accuracy as defined in section 9-8 will be recalibrated, repaired or replaced during the test cycle. The meter class and the corresponding test cycle in years is indicated below:

Large Meter Test Cycles

<u>Class</u>	<u>Models</u>	<u>Testing Schedule in Years</u>
2	35B, 80B, AL800, AL1000	15 years
3	250B, AL1400, AL2300, 500B, AL500	5 years
4	800 – 11000 ROTARY	5 years
5	16000 – 38000 ROTARY	3 years

9-6 Special Meter Tests - At the request of the Customer, the Utility shall, within ten days after receipt of such request, make special meter tests. Customer shall bear the cost of such tests, including meter removal and replacement, if the meter is found to be within the limits of acceptable accuracy as defined below in Rule No. 9-8. In all other cases, the Utility shall bear the cost of the test.

9-7 Replacement of Meter - Whenever a Customer requests the replacement of the meter on Customer's premises, such request shall be treated as a request for a test of such meter and, as such, shall fall under the provisions of preceding Rule No. 9-6.

(continued)

Date Approved January 29, 2002
Docket No. D2001.1.5 (Order 6353c)
Agenda No. 02-01-29

Effective for service rendered on or after
July 1, 2002

PUBLIC SERVICE COMMISSION

Rhonda Simmons

Secretary

PROPANE TARIFF



Canceling

Original

Revised
Revised

Sheet No.
Sheet No.

R-9.3
R-9.3

Rule No. 9

METERING

- 9-8 Standard of Meter Accuracy - The Utility shall not place in service or knowingly allow to remain in service, without adjustment, any meter that has a known error in registration of more than plus or minus two percent (2%) when passing Propane at twenty percent (20%) of rated meter capacity with 0.5 inch water column differential.
- 9-9 Adjustment for Inaccurate Meter Registration - Whenever a tested meter in service is found to be fast or slow beyond the limit of accepted accuracy as defined in preceding Rule No. 9-8, the Utility shall make an adjustment based on the corrected registration for the period in which the meter was registering incorrectly, if such period is known; but for a period not to exceed six months where an undercharge has occurred. The six-month limitation does not apply in those instances where the adjustment is the result of an overcharge. In those instances, where the period of adjustment can be determined with a reasonable degree of accuracy, Customer shall be refunded all overcharges that occurred over the entire period of the incorrect meter registration. Whenever any bill or bills have been adjusted or corrected, as provided above, and whenever such adjustment amounts to \$1 or more, the Utility shall refund to Customer, or credit to Customer's account, any amount found to have been collected in excess of the proper amount; or the Utility may, within the limitations set forth above, require Customer to pay, or add to Customer's account, additional amounts due. In no event shall the period of adjustment, for either undercharges or overcharges, exceed the duration of the present Customer's occupancy. Where actual recorded data identifying errors of this nature are not available, it may be difficult, if not impossible, to determine the amount of such errors with any great degree of precision. In such instances, both the amount of meter error and the period of time over which the meter was registering incorrectly may be determined by engineering estimate.
- 9-10 Incorrect Meter Installation - In the event a Customer has been overcharged or undercharged as a result of an incorrect meter installation, the amount of the overcharge shall be adjusted and refunded to the Customer, or credited to Customer's account, if in excess of \$1. The amount of any undercharge may be adjusted and billed to Customer, provided that in no event shall such period of adjustment exceed the length of time the service has been supplied to Customer through the incorrect metering installation at the present location, or six months, whichever is less. The six-month limitation does not apply in those instances where the adjustment is the result of an overcharge. In such instances, the present Customer shall be refunded all overcharges that occurred during the Customer's occupancy.

(continued)

Date Approved January 29, 2002
 Docket No. D2001.1.5 (Order 6353c)
 Agenda No. 02-01-29

Effective for service rendered on or after
 July 1, 2002

PUBLIC SERVICE COMMISSION

Rhonda Simmons

Secretary

PROPANE TARIFF



Original Revised Sheet No. R-9.4
Canceling Revised Sheet No. R-9.4

Rule No. 9

METERING

- 9-11 Non-Registering Meter - Where a meter has failed to register for any period, for reasons beyond reasonable control of the Utility, the Utility may estimate the charge for service during such period. Such estimate to be based upon the best available data, provided that the period for such estimated charges shall not exceed six months, and in no event for a period longer than the present Customer's occupancy.
- 9-12 Bypassing or Tampering with Metering Facilities - Customers shall not interfere in any way with the metering facilities after they have been set in place. In cases where the meter seal is broken or the working parts of the meter have been tampered with or the meter damaged or there is evidence that a bypass has been used, the Utility may render a bill for the current billing period based upon the estimated use, considering past experience under similar conditions and may, in addition thereto, charge for the actual cost of repairing or replacing said meter and connections. Service may be discontinued or refused at the premises where such bypassing or tampering has occurred until all such charges are paid; provided, however, that during the winter moratorium on termination of service (Rule No. 13-10), service shall be reconnected after the interfered with installation has been repaired; and the Utility shall continue to provide service until Commission approval of termination is obtained.
- 9-13 Conjunctive Metering - For the purpose of rendering charges, each meter upon the Customer's premises shall be considered separately and readings of two or more meters shall not be combined except as follows:
- A. Where combinations of meter readings are specifically provided for in applicable rate schedule.
 - B. Where the maintenance of adequate service and/or where the Utility's operating convenience shall require the installation of two or more meters upon Customer's premises, instead of one meter.

(The application of Paragraph (b) shall be determined by the nature of the meter installation, which would be made for new Customers enjoying a similar character of service.)

Date Approved January 29, 2002
Docket No. D2001.1.5 (Order 6353c)
Agenda No. 02-01-29

Effective for service rendered on or after
July 1, 2002
PUBLIC SERVICE COMMISSION

Rhonda Jimmons
Secretary