

November 2016 Energy Connections

Winter safety

tips

It's extremely important to keep your outdoor natural gas meter clear of snow and ice.

Carefully remove snow or ice from the gas meter and any associated piping and take care not to cover meters when shoveling or snow-blowing. Also, check to ensure that melting snow or ice is not dripping on the meter from the roof or nearby trees, and that the meter is clear following rooftop snow removal.

The natural gas meter's outdoor regulator vent must always be clear so that the flow of natural gas into the home can be regulated properly. If this vent becomes plugged when snow and ice on or above the meter melts and re-freezes, the pressure of gas being pumped into the home could either increase or decrease to a dangerous level, resulting in a fire or explosion.

You should check for any ice buildup around all external vents as well as your dryer vents. If you have a gas dryer, ice can keep harmful gases from escaping your home. Any airflow blockage can lead to big problems and even carbon monoxide poisoning.

Be safe and take extra precautions after major storms. If you experience a power outage, don't assume we know about it. Call our 24/7 emergency phone number or report an outage through our online customer service option.

Manage your account

Our website makes it even easier! Visit NorthWesternEnergy.com and click the register or log-in options from the homepage. With our online customer portal you can pay your bill, sign up for payment and billing options, learn about your usage, establish a service request and report problems.

Accessing your account is easy and secure.

နိုဝင်ဘာလ 2016 စွမ်းအင်ဝန်ကြီးဌာန

Connections ကို

ဆောင်းရာသီဘေးကင်းလုံခြုံရေး

အကြံပေးချက်များ

ဒါဟာဆီးနှင်းနှင့်ရေခဲ၏ရှင်းလင်းသောသင့်ရဲ့ပြင်ပကသဘာဝဓါတ်ငွေ့မီတာစောင့်ရှောက်ဖို့အလွန်အရေးကြီးပါတယ်။

ဂရုတစိုက်ဓါတ်ငွေ့မီတာနှင့်မည်သည့်ဆက်စပ်ပိုက်ထဲကနေဆီးနှင်းသို့မဟုတ်ရေခဲကိုဖယ်ရှားခြင်းနှင့်ဂျေဟူးသို့မဟုတ်နှင်းမှုတ်သောအခါမီတာကိုဖုံးလွှမ်းဖို့မစောင့်ရှောက်ရမည်။

ဒါ့အပြင်အရည်ပျော်ဆီးနှင်းသို့မဟုတ်ရေခဲခေါင်မိုးသို့မဟုတ်အနီးအနားရှိသစ်ပင်များမှမီတာအပေါ်ရွံ့နှင့်မီတာခေါင်မိုးပေါ်ရှိဆီးနှင်းဖယ်ရှားရေးအောက်ပါရှင်းရှင်းလင်းလင်းကြောင်းမဟုတ်ကြောင်းသေချာစေရန်စစ်ဆေးပါ။

အိမ်သို့သဘာဝဓါတ်ငွေ့၏စီးဆင်းမှုစနစ်တကျစည်းမျဉ်းသတ်မှတ်နိုင်ပါတယ်ဒါကြောင့်သဘာဝဓါတ်ငွေ့မီတာရဲ့ပြင်ပစည်းကမ်းထိန်းသိမ်းရေးအဖွဲ့ကိုပိတ်ဆို့အမြဲရှင်းလင်းပြတ်သားတဲ့ဖြစ်ရပါမည်။

ဒီပိတ်ဆို့သောအခါအဆီးနှင်းနှင့်ရေခဲမီတာအရည်ပျော်

re-ကိုလည်းသိမ်းဆည်းပေါ်တွင်သို့မဟုတ်အထက်ပလပ်လာလျှင်, အိမ်တွင်းသို့ pumped